



PLATIN
★ ★ ★ WHEELS



ALLOY WHEELS AND TYRES

2019



PLATIN
★ ★ ★ **WHEELS**

TECHNOLOGY
ENDURANCE
PERFORMANCE





THE SUCCESSFUL BRAND

for tyres and wheels

Since 1987 PLATIN has stood for fascinating wheel designs and innovative tyre technology with an outstanding price-performance ratio.

The wide range of unique PLATIN wheels with alloy wheels from 14 to 20 inches in more than 30 different designs leave just about nothing more to be desired. All PLATIN wheels are TÜV-tested and have TÜV certification and a corresponding ABE. PLATIN quality tyres round out the range with summer, all-weather and winter tyres for cars, vans and light trucks in more than a hundred current sizes.

PLATIN tyres are developed on the basis of the very latest tread mix and profile technology and manufactured in modern production plants by leading tyre makers.



Discover the whole world of PLATIN wheels and tyres on platin-wheels.com

PLATIN P 93

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
6,5 x 15	polar silver			20										
6,0 x 16*	polar silver				45				43 / 48					
6,5 x 15	diamond black			20										
6,0 x 16*	diamond black				45				43 / 48					

* = Size shown on illustration

Red = ECE homologation

NEW

NEW



polar silver

diamond black

P 93

P 93

PLATIN P 91

Size	Colour	4/98	4/100	4/108	5/98	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/127
8,0 x 19"	black flat							42		26 / 30 / 38 / 43 / 47				
8,0 x 20	black flat							45 / 52		27 / 30 / 39				

* = Size shown on illustration

NEW



P 91

black flat

P 91

PLATIN P 90

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
6,0 x 15	silver		37 / 42	20	38									
6,5 x 16	silver		40	20	47	38	47	40	33 / 46	40 / 50				
7,0 x 17*	silver					38	42		40 / 45 / 48	40 / 45 / 50	44			

* = Size shown on illustration

NEW



P 90

silver

P 90

PLATIN P 86

Size	Colour	5/108	5/110	5/112	5/114,3	5/115	5/120	5/127	5/130	6/114,3	6/130	Anwendung
6,5 x 16	silver										54 / 62	Mercedes-Benz Sprinter
7,0 x 16	silver	46										Nissan NP300 Navara, Renault Alaskan
7,0 x 17	silver	46										Nissan NP300 Navara, Renault Alaskan
7,5 x 18	silver									50		Mercedes-Benz X-Klasse
7,5 x 19	silver									50		Mercedes-Benz X-Klasse
6,5 x 20	silver				33							Renault Scenic (RFA)
6,5 x 16	matt black										54 / 62	Mercedes-Benz Sprinter
7,0 x 16	matt black	46										Nissan NP300 Navara, Renault Alaskan
7,0 x 17	matt black	46										Nissan NP300 Navara, Renault Alaskan
7,5 x 18	matt black									50		Mercedes-Benz X-Klasse
7,5 x 19	matt black									50		Mercedes-Benz X-Klasse
6,5 x 20	matt black				33							Renault Scenic (RFA)

PLATIN P 87

Size	Colour	5/108	5/110	5/112	5/114,3	5/115	5/120	5/127	5/130	6/114,3	6/130	Anwendung
7,5 x 18	silver								43			Ssangyong Rexton (Y400)
7,5 x 18	matt black								43			Ssangyong Rexton (Y400)

PLATIN P 88

Size	Colour	5/108	5/110	5/112	5/114,3	5/115	5/120	5/127	5/130	6/114,3	6/130	Anwendung
6,5 x 16	silver						60					VW Crafter

* = Size shown on illustration

Red = ECE homologation

matt black



matt black



P 86

silver



P 87

silver



P 88

silver

SPECIAL
APPLICATIONS

P 86 / P 87 / P 88

PLATIN P 85

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
8,0 x 18	grey, polished								35 / 45					
8,5 x 19*	grey, polished								32 / 45					
8,5 x 20	grey, polished								30 / 45					
8,0 x 18	black shiny								35 / 45					
8,5 x 19*	black shiny								32 / 45					
8,5 x 20	black shiny								30 / 45					

* = Size shown on illustration



grey, polished



black shiny

P 85

P 85

PLATIN P 84

Size	Colour	4/98	4/100	4/108	5/98	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/127
6,0 x 15	silver	35	35 / 46	23 / 46		42				43	46			
6,5 x 16*	silver		40 / 46	20 / 47,5	38	38 / 45	38	50		33 / 41 / 46	38 / 50	41		
7,0 x 17	silver		44	18		46	40	42 / 50		40 / 45 / 49	40 / 45 / 50	45		
7,5 x 17	silver							45		40 / 45				
6,0 x 15	diamond black	35	35 / 46	23 / 46		42				43	46			
6,5 x 16*	diamond black		40 / 46	20 / 47,5	38	38 / 45	38	50		33 / 41 / 46	38 / 50	41		
7,0 x 17	diamond black		44	18		46	40	42 / 50		40 / 45 / 49	40 / 45 / 50			
7,5 x 17	diamond black							45		40 / 45				

* = Size shown on illustration



diamond black



silver

P 84

P 84

PLATIN P 79

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
8,0 x 18"	dark grey, polished						43		35 / 45	40				
8,5 x 19	dark grey, polished						40		30 / 45					
8,0 x 18"	black shiny						43		35 / 45	40				
8,5 x 19	black shiny						40		30 / 45					

* = Size shown on illustration



dark grey, polished



black shiny

P 79

P 79

PLATIN P 78

Size	Colour	4/98	4/100	4/108	5/98	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
6,5 x 16	silver	35		20 / 37,5 / 47,5	39		38	50	40	46 / 49	40	41			
7,5 x 17*	silver							55		43 / 45 / 49 / 51 / 52,5			37		
6,5 x 16*	matt black	35		20 / 37,5 / 47,5	39		38	50	40	46 / 49	40				
7,5 x 17	matt black							55		43 / 49 / 51 / 52,5 / 54			37		
6,5 x 16	dark gun	35		20 / 37,5 / 47,5				50	40	46 / 49	40				
7,5 x 17*	dark gun							55		43 / 45 / 49 / 51 / 52,5			37		

* = Size shown on illustration

ECE homologation





silver



matt black



dark gun

P 78

PLATIN P 76

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
7,5 x 17	silver								35 / 46					
8,0 x 18	silver								30 / 47					
8,5 x 19*	silver								35 / 45					
8,5 x 20	silver								35 / 45					
7,5 x 17	grey, polished								35 / 46					
8,0 x 18	grey, polished								30 / 47					
8,5 x 19*	grey, polished								35 / 45					
8,5 x 20	grey, polished								35 / 45					
7,5 x 17	grey								35 / 46					
8,0 x 18	grey								30 / 47					
8,5 x 19	grey								35 / 45					
8,5 x 20*	grey								35 / 45					

* = Size shown on illustration



silver



grey, polished



grey

P 76

PLATIN P 75

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
7,5 x 17	titanium								35 / 48					
8,0 x 18	titanium								35 / 48					
8,5 x 19*	titanium								32 / 45					
8,5 x 20	titanium								35 / 45					
7,5 x 17	black, lip polished								35 / 48					
8,0 x 18	black, lip polished								35 / 48					
8,5 x 19*	black, lip polished								32 / 45					
8,5 x 20	black, lip polished								35 / 45					

* = Size shown on illustration



titanium



P 75

black, lip polished

P 75

PLATIN P 74

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
7,5 x 18"	silver									39 / 44 / 51				
7,5 x 18"	black, polished									39 / 44 / 51				

* = Size shown on illustration



silver



black, polished

P 74

P 74

PLATIN P 73

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
5,5 x 14	polar silver	35	35 / 43	37										
6,0 x 15	polar silver	38	38	23 / 38	38				43	43				
6,0 x 16	polar silver	38	38	23 / 38										
6,5 x 16	polar silver					38	50		33 / 38 / 41 / 46 / 50	38 / 50 / 45				
7,0 x 16	polar silver						45		35 / 40 / 45 / 52					
7,0 x 17	polar silver					40	45		40 / 45 / 49	40 / 45 / 50				
7,5 x 17*	polar silver						45 / 52,5		35 / 45 / 52	35 / 45		35 / 45		
8,0 x 18	polar silver						45		35 / 45	35 / 45				
5,5 x 14	racing black	35	35 / 43	37										
6,0 x 15	racing black	38	38	23 / 38	38				43	43				
6,0 x 16	racing black	38	38	23 / 38										
6,5 x 16	racing black					38	50		33 / 38 / 41 / 46 / 50	38 / 50 / 45				
7,0 x 16	racing black						45		35 / 40 / 45 / 52					
7,0 x 17	racing black					40	45		40 / 45 / 49	40 / 45 / 50				
7,5 x 17*	racing black						45 / 52,5		35 / 45 / 52	35 / 45		35		
8,0 x 18	racing black						45		35 / 45	35 / 45				
5,5 x 14	black, polished	35	35 / 43	37										
6,0 x 15	black, polished		38											
6,0 x 16	black, polished		38											
6,5 x 16	black, polished						50		38 / 41 / 50	38 / 50				
7,0 x 17	black, polished								40 / 45 / 49					
7,5 x 17*	black, polished						45 / 52,5		35 / 45	35 / 45				
8,0 x 18	black, polished						45		35 / 45	35 / 45				

* = Size shown on illustration

polar silver - 4 holes



racing black - 4 holes



black, polished - 4 holes



polar silver - 5 holes

racing black - 5 holes

black, polished - 5 holes

P 73

P 73

PLATIN P 72

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
6,5 x 16	polar silver						50		33 / 46 / 50	38 / 50				
7,5 x 17*	polar silver						45		37 / 45 / 54	37 / 45				
8,0 x 18	polar silver						45 / 55		31 / 35 / 39 / 45 / 47	35 / 45				
6,5 x 16	black, polished								33 / 46 / 50	38 / 50				
7,5 x 17*	black, polished						45		37 / 45 / 54	37 / 45		37 / 43		
8,0 x 18	black, polished						45 / 55		31 / 35 / 39 / 45 / 47	35 / 45				
8,5 x 19	black, polished											35		

* = Size shown on illustration

Red = ECE homologation



polar silver



P 72

black, polished

P 72

PLATIN P 71

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/130
8,0 x 18	high gloss silver						45		35 / 38 / 45 / 53	35 / 45		34	50	
8,5 x 19*	high gloss silver						45		30 / 40 / 45			34	50	
9,0 x 20	high gloss silver								30 / 33 / 40				45	
8,0 x 18	black flat						45		35 / 38 / 45 / 53	35 / 45		34	50	
8,5 x 19*	black flat						45		30 / 40 / 45	38		34	50	
9,0 x 20	black flat								30 / 33 / 40				45	52
8,0 x 18	black, polished						45		35 / 38 / 45 / 53	35 / 45		34	50	
8,5 x 19*	black, polished						45		30 / 40 / 45	38		34	50	
9,0 x 20	black, polished								30 / 33 / 40				45	52

* = Size shown on illustration



high gloss silver



black flat



black, polished

P 71

PLATIN P 70

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127	5/130
7,0 x 17	silver			18			48		40 / 47 / 48 / 54			40 / 50			
7,5 x 18	silver						52		44 / 50 / 52	40 / 49 / 55					
8,0 x 18	silver						45		35 / 38 / 45			34	50		
8,5 x 18	silver								35			34 / 46			
8,0 x 19	silver						42 / 55		28 / 38 / 43 / 47 / 50 / 52			36			
8,5 x 19*	silver						45		30 / 40 / 45			34			
9,0 x 19	silver									45		18 / 48			
8,5 x 20	silver						45		28 / 30 / 45 / 53			34			
7,0 x 17	black flat		40	18	43		48		40 / 47 / 48 / 54	40 / 45		40 / 50			
7,5 x 18	black flat			18			52		44 / 50 / 52	40 / 49 / 55					
8,0 x 18	black flat						45	34	35 / 38 / 45	35 / 45		34	50		
8,5 x 18	black flat								35			34 / 46			
8,0 x 19	black flat						42 / 55	34	28 / 38 / 43 / 47 / 50 / 52			36			
8,5 x 19*	black flat						45		30 / 40 / 45	38		34			
9,0 x 19	black flat									45		18 / 48			
8,5 x 20	black flat						45		28 / 30 / 45 / 53	40		34			
7,0 x 17	black, polished		40	18	43		48		40 / 47 / 48 / 54	40 / 45		40 / 50			
7,5 x 18	black, polished						52		44 / 50 / 52	40 / 49 / 55					
8,0 x 18	black, polished						45		35 / 38 / 45	35 / 45		34	50		
8,5 x 18	black, polished								35			34 / 46			
8,0 x 19	black, polished						42 / 55		28 / 38 / 43 / 47 / 50 / 52						
8,5 x 19*	black, polished						45		30 / 40 / 45	38		34			
8,5 x 20	black, polished						45		28 / 30 / 45 / 53	40		34			

* = Size shown on illustration



silver



black flat



black, polished

P 70

PLATIN P 69

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127	5/130
6,0 x 15	silver	35	38 / 45	23 / 38 / 45	38	37			43 / 45	45					
6,5 x 16	silver		40 / 47	20 / 25 / 37,5		38	42 / 50	40	33 / 42 / 46 / 48	38 / 44 / 50	39				
7,0 x 16	silver			29	38		47		38 / 45 / 47 / 48 / 52	45		31 / 40			
7,0 x 17	silver		35 / 48	25	35	38	42	40	40 / 48 / 49	40 / 45 / 50	40				
7,5 x 17*	silver						48 / 52,5		27 / 28 / 35 / 47	35		34 / 37	55	36	
8,0 x 18	silver					40	45		35 / 40 / 50	35 / 40 / 50	40	30 / 35	50	50	
6,0 x 15	matt black	35	38 / 45	23 / 38 / 45	38	37			43 / 45	45					
6,5 x 16	matt black		40 / 47	20 / 25 / 37,5		38	42 / 50	40	33 / 42 / 46 / 48	38 / 44 / 50	39				
7,0 x 16	matt black			29	38		47		38 / 45 / 47 / 48 / 52	45		40			
7,0 x 17	matt black		35 / 48	25	35	38	42	40	40 / 48 / 49	40 / 45 / 50	40				
7,5 x 17*	matt black						48 / 52,5		27 / 28 / 35 / 47	35		34 / 37	55	36	
8,0 x 18	matt black					40	45		35 / 40 / 50	35 / 40 / 50	40	30 / 35	50	50	
6,0 x 15	black, polished	35	38 / 45	23 / 38 / 45	38				43 / 45	45					
6,5 x 16	black, polished		40	20 / 25		38	42 / 50		33 / 42 / 46 / 48	38 / 44 / 50	39				
7,0 x 16	black, polished			29	38		47		38 / 45 / 48	45		40			
7,0 x 17	black, polished		35 / 48	25	35	38			40 / 48 / 49	40 / 45 / 50					
7,5 x 17*	black, polished						48		28 / 35 / 47	35		34	55	36	
8,0 x 18	black, polished					40	45		35 / 40 / 50	35 / 40 / 50		30 / 35	50		

PLATIN P 66

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127	5/130
8,0 x 19*	matt black						45		35 / 45	42		35			
8,5 x 20	matt black						45		30 / 45	42					
8,0 x 19	black, polished						45		35 / 45	42					
8,5 x 20	black, polished						45		30 / 45	42					

* = Size shown on illustration



silver



matt black



black, polished

P 69

PLATIN P 64

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/130
5,5 x 14	polar silver		40	24 / 40	38									
6,5 x 15	polar silver		38	20 / 45	38			38	45	45				
6,5 x 16*	polar silver		40	20 / 25 / 45	38	38	45	38	33 / 45	38 / 45	38			
7,5 x 17	polar silver				35		50	35	35 / 42 / 50	42 / 50	42			
8,0 x 18	polar silver						48		30 / 40 / 48	40 / 48		30 / 40		
5,5 x 14	matt black		40	24 / 40	38									
6,5 x 15	matt black		38	20 / 45	38				45	45				
6,5 x 16	matt black		40	20 / 25 / 45	38	38	45	38	33 / 45	38 / 45	38			
7,5 x 17*	matt black						50	35	35 / 42 / 50	42 / 50		35 / 42		
8,0 x 18	matt black						48		30 / 40 / 48	40 / 48				

* = Size shown on illustration



polar silver



matt black

P 64

P 64

PLATIN P 61

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127	5/130
6,0 x 15	edge red		38 / 45	25 / 45											
7,0 x 16	edge red		35	22 / 35											
7,0 x 17*	edge red		35 / 42	25 / 35 / 42	35										
8,0 x 17	edge red						45								
8,0 x 18	edge red						45		35 / 47	40					
6,0 x 15	edge black		38 / 45	25 / 45	38										
7,0 x 16	edge black		35	22 / 35											
7,0 x 17*	edge black		35 / 42	25 / 35 / 42	35										
8,0 x 17	edge black						45	34	35 / 47	40		34			
8,0 x 18	edge black						45	34	35 / 47	40		34			

* = Size shown on illustration



black, Edge polished - edge red

black, polished - edge red

black, Edge polished - edge black

black, polished - edge black

P 61

P 61

PLATIN P 58

Size	Colour	4/98	4/100	4/108	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/127
7,0 x 16	silver		35	25	38		46		38 / 45	38 / 48		31 / 45		
7,0 x 17*	silver		35	25	35 / 46	40	42 / 48		34 / 38 / 46	40 / 48	40	40		
8,0 x 18	silver					40	45		30 / 35 / 40 / 45	40 / 48 / 50	40	35		
7,0 x 16	matt black		35	25	38		46		38 / 45	38 / 48		31 / 45		
7,0 x 17*	matt black		35	25	35 / 46	40	42 / 48		34 / 38 / 46	40 / 48	40	40		
8,0 x 18	matt black					40	45		30 / 35 / 40 / 45	40 / 48 / 50		35		
7,0 x 16	grey		35	25	38		46		38 / 45	38 / 48		31 / 45		
7,0 x 17*	grey		35	25	35 / 46	40	42 / 48		34 / 38 / 46	40 / 48	40	40		
8,0 x 18	grey					40	45		30 / 35 / 40 / 45	40 / 48 / 50	40	35		

* = Size shown on illustration



silver



matt black



grey

P 58

P 58

PLATIN P 50

Size	Colour	4/98	4/100	4/108	4/114,3	5/98	5/100	5/105	5/108	5/110	5/112	5/114,3	5/115	5/120	5/120/65,1	5/130
6,0 x 15	silver		38 / 45	47	45		38				45					
6,5 x 16	silver		40			35		39	40 / 50		40 / 50	40 / 45 / 50				
7,0 x 16*	silver								42		35 / 45 / 52				45	
7,5 x 17	silver								45 / 55		29 / 37 / 50	40 / 50		37	50	43 / 50
6,5 x 16	matt black		40													
7,5 x 17	matt black								45							43

* = Size shown on illustration



matt black



silver

P 50

P 50

PLATIN RP 320 SUMMER

	Size	EU tyre label*
13 inch	155/70 R 13 75 T	E/B/2(70) NEW
	155/80 R 13 79 T	E/B/2(70) NEW
	175/70 R 13 82 T	E/B/2(70) NEW
14 inch	155/65 R 14 75 T	E/B/2(70) NEW
	165/60 R 14 75 H	E/B/2(70) NEW
	165/65 R 14 79 T	E/B/2(70) NEW
	165/70 R 14 81 T	E/B/2(70) NEW
	175/65 R 14 82 T	C/B/2(70) NEW
	175/70 R 14 84 T	C/B/2(70) NEW
	185/60 R 14 82 H	E/B/2(70)
	185/65 R 14 86 H	E/B/2(70)
15 inch	165/65 R 15 81 H	C/B/2(70) NEW
	175/65 R 15 84 H	E/B/2(70) NEW
	185/60 R 15 88 H XL	C/B/2(71)
	185/65 R 15 88 H	C/B/2(70)
	195/60 R 15 88 H	E/B/2(71)
	195/60 R 15 88 V	E/B/2(71)
	195/65 R 15 91 H	C/B/2(71)
	195/65 R 15 91 V	C/B/2(71)

PLATIN RP 420 SUMMER

	Size	EU tyre label*
15 inch	185/55 R 15 82 V	C/B/2(70)
	195/50 R 15 82 V	C/B/2(71)
	195/55 R 15 85 V	C/B/2(71)
	205/60 R 15 91 V	C/B/2(71)
	205/65 R 15 94 V	C/B/2(71)
16 inch	195/45 R 16 84 V XL FR	C/B/2(72)
	195/50 R 16 88 V XL	C/B/2(72) NEW
	195/55 R 16 87 V	C/B/2(71)
	205/45 R 16 87 W XL FR	E/B/2(72)
	205/50 R 16 87 W	E/B/2(71)
	205/55 R 16 91 V	C/B/2(71)
	205/55 R 16 94 W XL	C/B/2(72)
	205/60 R 16 92 V	C/B/2(71)
	215/45 R 16 90 V XL FR	C/B/2(72) NEW
	215/55 R 16 97 V XL	C/B/2(72)
17 inch	215/60 R 16 99 H XL	C/B/2(72) NEW
	215/65 R 16 98 H FR	C/B/2(71) NEW
	225/50 R 16 92 Y	E/B/2(71)
	225/55 R 16 99 Y XL	C/B/2(72)
	205/40 R 17 80 Y FR	E/B/2(71)
	205/45 R 17 88 Y XL FR	C/B/2(72)
	205/50 R 17 93 Y XL FR	C/B/2(72)
	215/40 R 17 87 Y XL FR	C/B/2(72) NEW
	215/45 R 17 91 Y XL FR	C/B/2(72)
	215/50 R 17 95 Y XL FR	C/B/2(72)
18 inch	215/55 R 17 98 Y XL FR	C/B/2(72)
	215/60 R 17 96 V FR	C/B/2(71) NEW
	225/45 R 17 94 Y XL FR	C/B/2(72)
	225/50 R 17 98 Y XL FR	C/B/2(72)
	225/55 R 17 99 Y XL	C/B/2(72)
	205/40 R 17 80 Y FR	E/B/2(71)
	205/45 R 17 88 Y XL FR	C/B/2(72)

	Size	EU tyre label*
17 inch	225/55 R 17 101 Y XL FR	C/B/2(72)
	225/60 R 17 99 V FR	C/B/2(71) NEW
	225/65 R 17 102 V FR	C/B/2(71) NEW
	235/45 R 17 97 Y XL FR	C/B/2(72)
	235/55 R 17 103 Y XL FR	C/B/2(72) NEW
	235/65 R 17 108 V XL FR	C/B/2(72) NEW
18 inch	245/45 R 17 99 Y XL FR	C/B/2(72) NEW
	215/55 R 18 99 V XL FR	C/B/2(72) NEW
	225/40 R 18 92 Y XL FR	E/B/2(72)
	225/45 R 18 95 Y XL FR	C/B/2(72)
	225/55 R 18 98 V FR	C/B/2(71) NEW
	235/40 R 18 95 Y XL FR	C/B/2(72)
	235/45 R 18 98 Y XL FR	C/B/2(72)
	235/50 R 18 101 Y XL FR	C/B/2(72) NEW
	235/55 R 18 104 V XL FR	C/B/2(72) NEW
	235/60 R 18 107 W XL FR	C/B/2(72) NEW
	245/35 R 18 92 Y XL FR	E/B/2(72) NEW
19 inch	245/40 R 18 97 Y XL FR	C/B/2(72)
	245/45 R 18 100 Y XL FR	C/B/2(72)
	255/45 R 18 103 Y XL FR	C/B/2(73) NEW
	255/55 R 18 109 Y XL FR	C/B/2(73) NEW
	225/35 R 19 88 Y XL FR	E/B/2(72) NEW
19 inch	235/35 R 19 91 Y XL FR	E/B/2(72) NEW
	245/35 R 19 93 Y XL FR	E/B/2(72) NEW
	255/35 R 19 96 Y XL FR	E/B/2(73) NEW

PLATIN RP 510 VAN

	Size	EU tyre label**
14 inch	165/70 R 14C 89/87 R	E/C/2(72)
	185/80 R 14C 102/100 Q	E/C/2(72)
15 inch	195/70 R 15C 104/102 R	E/C/2(72)
	205/70 R 15C 106/104 R	E/C/2(72)
	205/65 R 15C 102/100 T	E/C/2(72)
	215/70 R 15C 109/107 R	E/C/2(72)
	225/70 R 15C 112/110 R	E/C/2(72)
16 inch	195/75 R 16C 107/105 R	E/C/2(72)
	195/65 R 16C 104/102 T	E/C/2(72)
	195/60 R 16C 99/97 T	E/C/2(72)
	205/75 R 16C 110/108 R	E/C/2(72)
	205/65 R 16C 107/105 T	E/C/2(72)
	215/65 R 16C 109/107 R	E/C/2(72)
	215/60 R 16C 103/101 R	E/C/2(72)
235/65 R 16C 115/113 R	E/C/2(72)	

FR = WEP Wheel edge protection | XL = Extra Load

*Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C1

**Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C2

Subject to alterations.



NEW



RP 320 SUMMER

- Better grip and improved handling on dry roads due to the asymmetrically arranged profile blocks
- Increased resistance to aquaplaning and improved grip in the wet thanks to the broad middle grooves and a narrow groove next to the outer shoulder
- Optimal braking performance and improved handling through the use of sipes with multiple angles in the profile shoulders

NEW



RP 420 SUMMER

- High reserves of safety in the wet thanks to the circumferential drainage grooves and hydrodynamically-shaped transverse grooves in the shoulder area
- Superlative braking and better performance on wet roads through curved sipes in the inner and outer shoulders
- Reduced rolling resistance and better braking behaviour in the wet with a high proportion of silica and new polymers



RP 510 VAN

- Optimized aquaplaning safety
- Reduced braking distance on wet roads
- Safe handling
- Very good braking performance
- High performance in the dry
- Increased comfort and low level of noise
- High economy through a longer life

Cars summer

VAN summer

PLATIN RP 100 ALLSEASON

	Size	EU tyre label*		Size	EU tyre label*
13 inch	145/80 R 13 75 T	F/E/2(71)	15 inch	155/60 R 15 74 T	E/C/2(71)
	145/70 R 13 71 T	F/E/2(71)		165/65 R 15 81 T	E/C/2(71)
	155/80 R 13 79 T	F/C/2(71)		175/55 R 15 77 T	E/C/2(71)
	155/70 R 13 75 T	F/C/2(71)		185/65 R 15 88 H	E/E/2(71)
	165/70 R 13 83 T XL	E/C/2(71)		185/60 R 15 88 T XL	E/E/2(71)
	175/70 R 13 82 T	E/C/2(71)		185/55 R 15 86 H XL	E/C/2(71)
	175/65 R 13 80 T	E/C/2(71)		195/65 R 15 91 H	E/C/2(72)
14 inch	155/65 R 14 75 T	E/C/2(71)	195/60 R 15 88 H	E/C/2(72)	
	165/70 R 14 81 T	E/E/2(71)	195/55 R 15 85 H	E/E/2(72)	
	165/65 R 14 79 T	E/C/2(71)	195/50 R 15 82 H	E/E/2(72)	
	165/60 R 14 75 T	E/C/2(71)	205/65 R 15 94 H	C/C/2(72)	
	175/80 R 14 88 T	E/C/2(71)	16 inch	195/55 R 16 87 H	E/C/2(72)
	175/70 R 14 88 T XL	E/C/2(71)		205/60 R 16 92 V	C/C/2(72)
	175/65 R 14 82 T	E/C/2(71)		205/55 R 16 91 H	E/C/2(72)
	185/65 R 14 86 T	E/E/2(71)		215/65 R 16 102 V XL	C/C/2(72)
	185/60 R 14 82 H	E/C/2(71)		215/60 R 16 95 V	C/C/2(72)
	185/55 R 14 80 H	E/C/2(71)		215/55 R 16 97 H XL	C/C/2(72)
17 inch			205/50 R 17 93 V XL	C/C/2(72)	
			215/60 R 17 96 H	C/C/2(72)	
			215/50 R 17 95 V XL	C/C/2(72)	
			225/60 R 17 99 H	C/C/2(72)	
			225/50 R 17 98 V XL	C/C/2(72)	
			225/45 R 17 94 V XL	E/C/2(72)	

PLATIN RP 700 VAN ALLSEASON

	Size	EU tyre label**
15 inch	195/70 R 15C 104/102 R	C/A/2(73)
	215/70 R 15C 109/107 R	C/A/2(73)
	215/65 R 15C 104/102 T	C/A/2(73)
	225/70 R 15C 112/110 R	C/A/2(73)
16 inch	195/75 R 16C 107/105 R	C/A/2(73)
	195/65 R 16C 104/102 T	C/A/2(73)
	195/60 R 16C 99/97 H	C/A/2(73)
	205/65 R 16C 107/105 T	C/A/2(73)
	215/75 R 16C 113/111 R	C/A/2(73)
	215/65 R 16C 109/107 T	C/A/2(73)
	225/65 R 16C 112/110 R	C/A/2(73)
	235/65 R 16C 115/113 R	C/A/2(73)

FR = WEP Wheel edge protection | XL = Extra Load

*Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C1

**Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C2

Subject to alterations.



RP 100 ALLSEASON

- Broad tread area for optimised handling and more traction
- Reduced risk of aquaplaning thanks to broad transverse grooves in the shoulder area and the quick removal of water due to the higher negative proportion
- Modern silica tread mix for reduced rolling resistance and excellent wet-grip
- High level of economy and savings of fuel in the interests of the environment
- Can be used without restriction all year round, with M+S and snowflake symbol (in accordance with section 2 para. 3a of the German StVO traffic regulations)

Cars all-weather



RP 700 VAN ALLSEASON

- Good resistance to aquaplaning and short braking paths on wet roads
- Improved grip on snow
- Strong braking performance on snow-covered roads
- Good directional stability and safe cornering on dry, wet and snow-covered roads

VAN all-weather

PLATIN RP 60 WINTER

	Size	EU tyre label*
13 inch	145/80 R 13 75 Q	F/C/2 (71)
	155/80 R 13 79 Q	F/C/2 (71)
	155/70 R 13 75 T	F/C/2 (71)
	165/70 R 13 79 T	F/C/2 (71)
	175/70 R 13 82 T	F/C/2 (71)
	175/65 R 13 80 T	F/C/2 (71)
14 inch	175/80 R 14 88 T	F/C/2 (71)
	165/70 R 14 81 T	F/C/2 (71)
	175/70 R 14 84 T	F/C/2 (71)
	185/70 R 14 88 T	E/C/2 (71)
	155/65 R 14 75 T	F/C/2 (71)
	165/65 R 14 79 T	F/C/2 (71)
	175/65 R 14 82 T	F/C/2 (71)
	185/65 R 14 86 T	F/C/2 (71)
185/60 R 14 82 T	F/C/2 (71)	
15 inch	175/65 R 15 84 T	F/C/2 (71)
	185/65 R 15 88 T	E/C/2 (71)
	195/65 R 15 91 T	E/C/2 (72)
	195/65 R 15 91 H	E/C/2 (72)
	195/65 R 15 95 T XL	E/C/2 (72)
	205/65 R 15 94 H	E/C/2 (72)
	185/60 R 15 88 T XL	F/C/2 (71)
	195/60 R 15 88 T	E/C/2 (72)
	185/55 R 15 82 T	F/C/2 (71)
	195/55 R 15 85 H	E/C/2 (72)
195/50 R 15 82 H	F/C/2 (72)	

	Size	EU tyre label*
16 inch	215/70 R 16 100 H FR	F/C/2 (72)
	215/65 R 16 98 H	E/C/2 (72)
	205/60 R 16 92 H	E/C/2 (72)
	215/60 R 16 99 H XL	E/C/2 (72)
	195/55 R 16 87 H	F/C/2 (72)
	205/55 R 16 91 T	E/C/2 (72)
	205/55 R 16 91 H	E/C/2 (72)
	215/55 R 16 97 H XL	E/C/2 (72)
	225/55 R 16 95 H	E/C/2 (72)
	17 inch	225/65 R 17 102 H FR
235/65 R 17 108 V XL FR		E/C/2 (72)
215/60 R 17 96 H FR		F/C/2 (72)
225/60 R 17 99 H FR		E/C/2 (72)
235/60 R 17 102 H FR		E/C/2 (72)
215/55 R 17 98 V XL		E/C/2 (72)
225/55 R 17 101 V XL		E/C/2 (72)
235/55 R 17 103 V XL FR		E/C/2 (72)
225/50 R 17 98 H XL		E/C/2 (72)
205/45 R 17 88 V FR		F/C/2 (72)
225/45 R 17 91 H	F/C/2 (72)	
18 inch	225/45 R 18 95 V XL FR	E/C/2 (72)
	245/45 R 18 100 V XL FR	E/C/2 (72)
	225/40 R 18 92 V XL FR	E/C/2 (72)
	235/45 R 18 98 V XL	E/C/2 (72)

PLATIN RP 610 WINTER

	Size	EU tyre label**
15 inch	195/70 R 15C 104/102 R	E/C/2(73)
	215/70 R 15C 109/107 R	E/C/2(73)
	225/70 R 15C 112/110 R	E/C/2(73)
16 inch	195/65 R 16C 104/102 T	E/C/2(73)
	195/60 R 16C 99/97 T	E/C/2(73)
	205/75 R 16C 110/108 R	E/C/2(73)
	205/65 R 16C 107/105 T	E/C/2(73)
	215/65 R 16C 109/107 R	E/C/2(73)
235/65 R 16C 115/113 R	E/C/2(73)	

FR = WEP Wheel edge protection | XL = Extra Load

*Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C1

**Fuel efficiency class / Wet grip class / External rolling noise class (value in dB) as per EU standard 1222/2009 - Vehicle class C2

Subject to alterations.



RP 60 WINTER

- Profile with fixed rolling direction
- Better handling, safe braking and optimum grip on snow-covered roads
- Low risk of aquaplaning
- Superlative handling on dry roads
- Safe braking on icy surfaces



RP 610 WINTER

- Excellent traction and good braking performance on snow and ice
- Short braking path in the wet and a low aquaplaning risk
- Increased level of riding comfort due to a low level of road noise
- High economy due to optimized running performance and low rolling resistance

Cars winter

VAN winter



320319 / 2019 / EN

[platin-wheels.com](https://www.platin-wheels.com)

Interpneu Handelsgesellschaft mbH · An der Rossweid 23–25 · 76229 Karlsruhe · Germany · Phone +49 721 6188-111